

ZEFIROV, A.P., prof., doktor tekhn. nauk; NEVSKIY, B.V.; IVANOV,
G.F.; VORONOVA, A.I., red.; MAZEL', Ye.I., tekhn. red.

[Plants for the processing of uranium ores in capitalist
countries] Zavody po pererabotke uranovykh rud v kapitalisti-
cheskikh stranakh. Pod obshchey red. A.P.Zefirova. Moskva,
Gosatomizdat, 1962. 370 p.
(Uranium industry)

GRIGOR'YEV, B.V.; KIPERMAN, S.Ya.; IVANOV, G.F.

Anode belt machining. Mashinostroitel' no.3:30-32 Mr '64.
(MIRA 17:4)

ACCESSION NR: AP4022349

S/0117/64/000/003/0030/0032

AUTHORS: Grigor'yev, B. V.; Kiperman, S. Ya.; Ivanov, G. F.

TITLE: Anode grinding with a belt

SOURCE: Mashinostroitel', no. 3, 1964, 30-32

TOPIC TAGS: metal cutting, anode grinding, electromechanical machining, electric arc machining, titanium, stainless steel

ABSTRACT: Belt anode grinding of conductive materials was investigated using the apparatus shown in Fig. 1 on the Enclosure. The part (2) turns between centers and is connected to the positive terminal of a D.C. supply. A continuous steel belt (1) is connected to the negative terminal. An electrolyte consisting of a colloidal solution of liquid glass ($Na_2O \cdot nSiO_2 + mH_2O$) is continuously introduced between the belt and the part, forming a film which is removed by the belt. Arcs formed in this region melt out the material. The test apparatus permitted work on samples 8-50 mm in diameter and 30-400 mm long. The voltage was 24-30 V, and the current ranged between 120 and 180 amps for titanium and was 300 amps for stainless steel. The method was found practical for preliminary machining (7-9 class finish)

Card 1/3

ACCESSION NR: AP4022349

of very hard metals. The possible time saving was demonstrated by turning a 25 x 25 x 60 mm heat-resistant steel sample to a 15-mm diameter cylinder in a lathe. This process required 15 minutes. The same result was attained by anode grinding in only 40 seconds. Orig. art. has: 7 figures.

ASSOCIATION: none

SUBMITTED: 00

DATE ACQ: 08Apr64

ENCL: 01

SUB CODE: MN

NO REF Sov: 000

OTHER: 000

Card 2/3

ACCESSION NR: AP4022349

ENCLOSURE: 01




Fig. 1. Schematic of apparatus

1- belt, 2- part, 3- brushes, 4- head spindle, 5- tail stock,
6- rheostat, 7- generator, 8- winding.

Card 3/3

IVANOV, G.F.; CHECHURINA, Ye.N.

Testing of a DSShU-M unit. Nov.,nauch.-issl.rab.po.matt. VNIIM
no.5:14-17 '64. (MIRA 18:3)

IVANOV, G.G. [Ivanov, H.H.], kand.ekon.nauk

Economic accountability for collective farms. Nauka i zhystia
8 no.8:33-35 Ag '58. (MIRA 12:1)
(Farm management)

MOSTIPAN, L.I.; IVANOV, G.G. [Ivanov, H.H.], kand.ekon.nauk

Interfarm cooperation. Mauka i zhyttia 10 no.2:35-37 P '60.
(MIRA 13:6)

1. Predsedatel' soveta Chernigovskogo "Oblmishkolgospbudu."
(Collective farms--Interfarm cooperation)

SMIRNOV, I.N.; IVANOV, G.G., redaktor; KOLESNIKOVA, A.P., tekhnicheskiy
redaktor.

[Work practice on a skidding tractor] Opyt raboty na trelevochnom
traktore. Moskva, Goslesbunizdat, 1953. 16 p. (MIRA 7:8)
(Tractors) (Lumbering)

1. IVANOV, G. G., Eng.; ALYAB'YEV, V. I., Eng.
2. USSR (600)
4. Electricity in Lumbering
7. For over-all electrification of lumbering operations. Les. prom. 13, No. 4, 1953.

9. Monthly List of Russian Accessions, Library of Congress, April 1953, Uncl.

IVANOV, G. G.

KARASIK, Leonid Borisovich; IVANOV, G.G., red.; SHAKHOVA, L.I., red.izd-va;
KARASIK, N.P., tekhn.red.

[We are introducing new and advanced methods; practices of the
Mitin lumber camp] Osvalavaem novoe, peredovoe; iz opyta raboty
Mitinskogo lespromkhoza. Moskva, Goslesbumizdat, 1957. 27 p.
(MIRA 11:1)

(Lumbering)

SOV/3-58-12-11/43

AUTHOR: Ivanov, G.G., Deputy Director of the Publishing Office

TITLE: It is Necessary to Establish a Publishing House "Higher School" (Neobkhodimo sozdat' izdatel'stvo "Vysshaya shkola")

PERIODICAL: Vestnik vysshey shkoly, 1958, Nr 12, pp 43 - 44 (USSR)

ABSTRACT: The necessity of developing the correspondence system of education has raised the problem of providing students with good training aids. At present, there are practically no training aids for correspondence students. and the methodical literature issued by the Publishers "Soviet Science" does not suffice. The author lists the number of textbooks and some fundamental works on physics and chemistry printed in recent years by this publishing house. He considers it not practical that 38 publishing offices should print the textbooks required by vuzes, and suggests that a new special publishing house "Vysshaya shkola" be established. Its task should be primarily to write and issue the entire training-

Card 1/2

22(1)

SOV/3-59-5-4/34

AUTHOR: Ivanov, G.G., Deputy Director

TITLE: Foremost Attention to be Given to the Publication
of Textbooks

PERIODICAL: Vestnik vysshey shkoly, 1959, Nr 5, pp 25 - 28
(USSR)

ABSTRACT: The reorganization of the system of higher education realized at present demands urgently that all students, and first the correspondence students, be supplied in good time with training literature on all subjects, for at present there are almost no textbooks especially composed for correspondence students. In the articles of P.I. Polukhin, Member of the Board of the USSR Ministry of Higher Education, Professor I.V. Kharizomenov, V.V. Motilov, O. Ya. Novikov, etc., published in this periodical, Nr 12 of 1958 and Nr 3 and 4 of 1959, several important problems have been raised relating to the trend of the work. In this article the author deals with another aspect of the case - the participation

Card 1/4

SOV/3-59-5-4/34

Foremost Attention to be Given to the Publication of Textbooks

of the publishing offices in supplying the vuzes with training literature. He stresses the necessity for a strict coordination of the work between all state publishing enterprises. At present, about 40 publishing offices of various ministries and departments are engaged in printing textbooks. For the parallelism involved, the author quotes a few examples mentioning the publishing offices "Sovetskaya nauka", Stroyizdat, "Rechnoy transport", Subpromgiz, Uchpedgiz and Medgiz. For these shortcomings arising in the publication of textbooks, a certain blame is attached to the Ministry of Higher Education and its Methodological Administration. To prove the absence of a proper plan in writing textbooks for new and rapidly developing fields of science and engineering, the author cites the books of O.K. Davtyan "Quantum Chemistry" and of V.G. Konarev "Nuclein Acids and the Morphogenesis

Card 2/4

SOV/3-59-5-4/34

Foremost Attention to be Given to the Publication of Textbooks

of Plants", which the Ministry simply re-forwarded to the publishing firm. The author considers that the Methodological Administration of the USSR Ministry of Higher Education should become a center regulating the issue of textbooks by the various publishing offices. The publishing house "Vysshaya shkola" (Higher School), whose establishing is being planned, should have the guiding part in the publication of training literatures for vuzes. The Glavnoye upravleniye universitetov (Main Administration of Universities) is blamed for permitting an excessive extension of the manuscript. Reference is made to A.B. Kogan's book "The Physiology of the Higher Nervous Activity", the size of which was increased by the Glavnoye upravleniye universitetov, ekonomicheskikh i yuridicheskikh vuzov (Main Administration of Universities and Vuzes of Economics and Law) to 10 sheets. The author advises to expand

Card 3/4

ANUCHIN, N.P., prof., otv. red.; BAGLAEVSKAYA, N.N., red.;
DERYABIN, D.I., kand. sel'khoz. nauk, red.; ZHELEZHOV,
G.F., kand. sel'khoz. nauk, red.; IVANNIKOV, S.P., kand.
sel'khoz. nauk, red.; IVANOV, G.G., red.; LARYUKHIN, G.A.,
kand. tekhn. nauk, red.; LOSITSKIY, K.B., doktor sel'khoz.
nauk zam. otv. red.; MIROMOV, V.V., kand. sel'khoz. nauk,
red.; RODIONOV, A.Ya., kand. sel'khoz. nauk, red.;
TRUBNIKOV, M.M., kand. ekon. nauk, red.; CHEVEDAYEV, A.A.,
kand. sel'khoz. nauk, red.; SHUMAKOV, V.S., kand. sel'khoz.
nauk, red.; YURGENSON, F.B., doktor biol. nauk, red.; TROPIN,
I.V., kand. sel'khoz. nauk, red.

[Studying the performance of new machinery in silvicultural
work; scientific papers] Issledovanie rabochikh protsessov
novykh mashin na lesokul'turnykh rabotakh; nauchnye trudy.
Moskva, Izd-vo "Lesnaia promyshlennost', 1964. 111 p.
(MIRA 17:7)

1. Moscow. Vsesoyuznyy nauchno-issledovatel'skiy institut
lesovodstva i mekhanizatsii lesnogo khozyaystva.

IVANOV, G.G. (Moskva)

Imaginary and true progress of science; "Science and militarism in the United States" by Iu. M. Sheinin. Reviewed by G.G.Ivanov.
Priroda 53 no. 12:106-107 '64. (MIRA 18:1)

IVANOV, G.G.

Age variations in the reduction capacity of the brain and other animal tissues. G. G. Ivanov. *Bull. biol. msl. erpd. U. S. S. R.* 7, 216-18 (1939) (in English). — The brain tissue, cardiac and striated muscle, spleen and testicles of white rats show 3 stages in the reduction of methylene blue (I) during the course of animal life. In the 1st stage, at ages from 2 weeks to sexual maturity (3 mos.) a high reducing capacity is shown by rapid decolorization of I. The 2nd stage (3 mo. to 2 yrs.) is characterized by a slow reduction of I, while in the 3rd stage a comparatively rapid decolorization of I again occurs. The liver and kidneys, however, in the 1st stage show a min. with extremely slow decolorization of I. During the 2nd stage the reduction capacity increases markedly, followed by a new decrease in the 3rd stage. An electrometric study showed the brain tissues of young and old animals to have similar β_a values, while that of adult animals was considerably lower.

S. A. Karjala

APPROVED FOR RELEASE: 08/10/2001

CIA-RDP86-00513R000619020020-1"

SHANIN, A.P., professor; IVANOV, G.G.

Characteristics of gastric secretory-motor functions in pre-cancer and cancer of the stomach. Vop.onk.l no.1:86-90 '55.

1. Iz Instituta onkologii AMN SSSR (direktor--chl.korr. AMN SSSR prof.A.I.Serebrov, nauchnyy konsul'tant- chl-korr. AN SSSR, deystv.,chl. AMN SSSR, z.d.n., prof. N.N.Petrov) A.P.Shanina--g. Leningrad, ul. Rubinshteyna, 6, kv.25; G.G. Ivanova--g.Leningrad, Aptekarskiy per.,4, kv.7.

(STOMACH, neoplasms,
gastric secretion & motor funct. in prepancer & cancer)
(GASTRIC JUICE,
secretion in precancer & cancer of stomach)

LATMANIZOVA, L.V.; RAKOV, A.I.; IVANOV, G.G.; MEL'NIKOV, R.A.; MONOSOVA, F.Ye.

Physiological study of functional peculiarities of the human nervous system in cancer of the stomach. Biul.eksp.biol. i med. 41 no.3: 18-22 Mr '56.

(MLRA 9:7)

1. Iz kafedry fiziologii i anatomii (zav.-prof. L.V.Latmanizova) Pedagogicheskogo instituta, 2-go khirurgicheskogo otdeleniya (zav.-prof. A.I.Rakov) i klinicheskoy laboratorii (zav. G.G.Ivanov) Instituta onkologii AMN SSSR, Leningrad. Predstavlena deystvitel'nym chlenom AMN SSSR M.N.Petrovym.

(STOMACH, neoplasms

electrocorticography in)

(ELECTROENCEPHALOGRAPHY, in various dis.

electrocorticography in cancer of stomach)

USSR/General Problems of Pathology - Tumors

U-4

Abs Jour : Ref Zhur - Biol., No 7, 1958, No 32656

Author : Rekov A.I., Shemyakina T.V., Shchukareva N.K., Ivenov G.G.

Inst : ~~Not Given~~Title : Functional Characteristics of the Stomach During Tumorous
and Pretumorous Illnesses.

Orig Pub : Vopr. onkologii, 1957, 3, No 1, 42-49

Abstract : The secretory function of the stomach (SFS) was studied in 128 patients with cancer of the stomach (CS), in 28 patients with polyposis of the stomach (PS), in 28 with stomach ulcers and in 37 with gastritis. The determination of the digesting strength of the stomach juice, and of the content in it of chlorides permitted the judgment of the depth of the organic changes. During CS and PS, there were secondary and tertiary degrees of insufficiency of SFS, which contributed to atrophic changes of mucous membrane of the stomach. During ulcerous illness, there was observed no suppression of the

Card : 1/2

26

Card : 2/2

POTAMOSHNEV, S.P.; IVANOV, G.G.

Calculation of labor productivity in the tire industry. Kauch.
i rez. 20 no. 4:49-53 Ap '61. (MIRA 14:5)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Rubber industry—Labor productivity)
(Tires, Rubber)

POTAMOSHNEV, S.P.; IVANOV, G.G.; ZHELEZOV, V.A.

Experiment in the use of labor consumption data as an
analytical index of labor productivity in rubber tire plants.
Kauch.i rez. 21 no.5:42-47 My '62. (MIRA 15:5)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Rubber industry—Labor productivity)

POTAMOSHNEV, S.P.; IVANOV, G.G.

Organization and methods of accounting for the results of the contests for the title of collectives of communist labor in the factories of the tire industry. Kauch. i rez. 22 no.6:
40-43 Je '63. (MIRA 16:7)

1. Nauchno-issledovatel'skiy institut shinnoy promyshlennosti.
(Rubber industry workers)
(Socialist competition)

BELEVICH, V.V.; SHVETSOVA, V.F.; ZHITYAYKINA, N.F.; BYKADOROV, I.S.;
IVANOV, G.I., kand.sel'skokhoz.nauk; GERMANISHVILI, V.Sh.,
kand.geogr.nauk, retsenzent; SOKOLOV, I.F., retsenzent;
KALMYKOVA, V.V., retsenzent; LYUBOMUDROVA, S.V., retsenzent;
KRUZHKOVA, T.S., retsenzent; BOYKOVA, K.G., retsenzent;
NOVSKIY, V.A., otv.red.; VLASOVA, Yu.V., red.; SERGEYEV, A.N.,
tekhn.red.

[Agroclimatic manual for the Maritime Territory] Agroklimaticheskii
spravochnik po Primorskому kraiu. Leningrad, Gidrometeor.izd-vo,
1960. 129 p. (MIRA 14:4)

1. Russia (1923- U.S.S.R.) Glavnaya upravleniya gidrometeoro-
logicheskoy sluzhby. Primorskaya upravleniya. 2. Vladivostokskaya gidrometeorologicheskaya observatoriya (for Belevich,
Shvetsova, Zhityaykina, Bykadorov). 3. Dal'nenvostochnyy nauchno-
issledovatel'skiy gidrometeorologicheskiy institut (for Germanishvili,
Sokolov, Kalmykova, Lyubomudrova, Kruzhkova, Boykova).
(Maritime Territory--Crops and climate)

S/262/62/000/009/011/017
I007/I207

AUTHORS: Ivanov, G. I., Morgulis, P. S. and Romanenko, N. T.

TITLE: Computation charts for diesel-engine turbocharging units

PERIODICAL: Referativnyy zhurnal, otdel'nyy vypusk. 42. Silovyye ustaniokvi, no. 9, 1962, 54, abstract 42.9.299. In collection "Gazoturbin nadduv dvigateley vnutr. sgoraniya", M., Mashgiz, 1961, 149-160

TEXT: A set of charts is presented for calculating the following parameters: sizes and rotational speed of the impeller of radial-flow superchargers; mean diameter and length of blades of the central turbine stage; and conditions for joint operation of engine and turbine. The method may be applied both to a self-contained unit and to a diesel-powered set. The various stages in the use of the computation method are dealt with and methods of plotting and practical application of the charts are described. There are 4 references.

[Abstracter's note: Complete translation.]

Card 1/1

IVANOV, G.I.; LISHIN, L.G.

Automatic low-frequency gain control circuit using a transistor
diode. Trudy VNAIZ no.10:58-64 '62. (MIRA 16:11)

IVANOV, G.I.; MUSIN, N.Kh.; BATYROV, Kh.M.

Hydraulic sand-jet perforation in fields of the Oil Field Administration
of the Aksakovo Petroleum Trust. Nefeprom.delo no.5:30-34 '64.
(MIRA 17:9)

1. Nefepromslovoe upravleniye "Aksakovneft".

IVANOV, G. I.

"Soil Conditions of the Southern Primor'ye in Relation to the
Cultivation of Ginseng." Cand Agr Sci, Soil Inst imeni V. V.
Dokuchayev, Acad Sci USSR, Moscow, 1955. (KL, No 8, Feb 55)

SO: Sum. No. 631, 26 Aug 55- Survey of Scientific and Technical
Dissertations Defended at USSR Higher Educational Institutions.
(14)

IVANOV, G.I.

Vladivostok Branch of the All-Union Society of Soil Scientists.
Pochvovedenie no.4:119 Ap '58. (MIRA 11:5)
(Soviet Far East--Soil research)

IVANOV, G.I.

Principal features of the distribution of soils on the right
bank of the Ussuri River. Soob.DVFAN SSSR no.11:3-8 '59.
(MIRA 13:11)
1. Dal'nevostochnyy filial imeni V.L.Komarova Sibirsogo
otdeleniya AN SSSR.
(Ussuri Valley--Soils)

IVANOV, G.I.

Soil conditions associated with wild and cultivated ginseng in the
Suputinka Preserve. Mat. k izuch. zhen'shenia i lim. no.4:7-15 '60.
(MIRA 13:9)

1. Dal'nevostochnyy filial Sibirskogo otdelaniya AN SSSR.
(SUPUTINKA PRESERVE--FOREST SOILS) (GINSENG)

IVANOV, G.I.; TSISKIS, L.S.

Designing combined biofiltration for enterprises having an uneven flow of waste water. Vod.i san.tekh. no.1:24-25 Ja '56.

(MLRA 9:5)

(Filters and filtration) (Sewage--Purification)

IVANOV, G.I.

Experience in the anaerobic purification of the waste
waters of leather factories. Kozh.-obuv. prom. 4 no. 7:30-
33 Jl '62. (MIRA 17:1)

ABRAMOVICH, Il'ya Aleksandrovich. Prinimal uchastiye IVANOV, G.I.
inzh.; KUCHER, P.Ye., inzh., retsenzent; PLEMENNIKOV, M.N.,
red.; VINOGRADOVA, G.A., tekhn.-red.

[Purification of sewage waters of leather factories] Ochi-
stka stochnykh vod kozhevennykh zavodov. Moskva, Gizlegprom,
1963. 236 p. (MIRA 16:9)
(Leather industry) (Industrial wastes--Purification)

IVANOV, G.I. [Ivanov, H.I.]

Pollution of the sewage waters of leather factories. Leh.prom.
no.3:49-51 J1-S '63. (MIRA 16:11)

ROZENBERG, V.A.; IVANOV, G.I.; PROZOROV, Yu.S.

Amur Forestry Expedition of the Far Eastern Branch of the
Academy of Sciences of the U.S.S.R. in 1955. Soob. DVYAN
SSSR no.9:155-156 '58. (MIRA 12:4)
(Sikhote-Alin Range—Coniferae)

IVANOV, G.I.

Tekhnika bezopasnosti na stroitel'nykh i remontnykh rabotakh (Safety engineering in construction and repair work). Moskva, Profizdat, 1953. 86 p. (V pomoshch' profaktivu po okhrane truda)

SO: Monthly List of Russian Accessions, Vol 7, No 9, Dec 1954

IVANOV, Georgiy Ivanovich; NOVOSPASSKIY, V.V., redaktor; KIRSANOVА,
N.A., tekhnicheskiy redaktor

[Work safety in large panel and block construction] Bezopasnost'
truda pri krupnopanel'nom i krupnoblochnom stroitel'stve.
Moskva, Izd-vo VTsSPS Profizdat, 1956. 91 p. (MIRA 10:4)
(Building--Safety measures)

IVANOV, Georgiy Ivanych; NOVOSPASSKIY, V.V., red.; RAKOV, S.I.,
tekhn.red.

[Safety engineering in conducting building and repair operations]
Tekhnika bezopasnosti na stroitel'nykh i remontnykh rabotakh.
Moskva, Izd-vo VTsSPS Profizdat, 1959. 154 p. (MIRA 13:3)
(Building--Safety measures)

20515
S/114/61/000/005/003/003
E194/E435

26.2120

AUTHORS: Ivanov, G.I., Engineer and Perfilov, V.G., Engineer

TITLE: Extending the Working Range of a Centrifugal Compressor

PERIODICAL: Energomashinostroyeniye, 1961, No.5, pp.36-38

TEXT: This article describes results obtained at the Kolomenskiy zavod im. V.V.Kuybysheva (Kolomna Works imeni V.V.Kuybyshev) in studying the possibility of extending the working range of a centrifugal compressor by a method which combines adjusting the angle of the blades of the stationary guide vanes and adjusting the angle of the inlet section of the diffuser blades. In this way the compressor range could be increased by a factor of more than 3 without appreciable loss of head or efficiency. The working range of a centrifugal compressor is limited in the low flow region by intensive breakaway of the air flow in the diffusers. At high throughputs the compressor output is limited by the flow capacity of the guide vanes and diffusers. The working range of the compressor is defined as the difference between the maximum and minimum referred air flows divided by the minimum flow. The works has designed and manufactured a compressor intended for use

Card 1/8

20515
S/114/61/000/005/003/003
E194/E435

Extending the Working Range ...

in the gas turbine supercharger of a diesel engine. The compressor has two control mechanisms, one being alteration of the angle of the stationary guide vanes and the other being rotating inlet sections of the diffuser blades. Constructional features of the experimental compressor are shown in Fig.1. The stationary guide vanes with rotating blades are indicated in the figure by the number (10). The blades are made of aluminium alloy and rotate in bronze guides (16) in the inlet duct. Each diffuser blade is made in two parts, a rotating tip (26) and a stationary part (25). The stationary part of the blade is made as a unit with the diffuser disc (24). The blade tips can rotate about their axes, to each axis (22) a tooth wheel (21) is attached which is driven from a toothed ring (19). By altering the position of this ring, the angle of the blade tips can be adjusted. Tests were run on the compressor and the results are plotted in the graphs of Fig.2, 3 and 4. The notation used is: π_k and η_{ad} - the compression ratio and adiabatic efficiency; H_{ad} - the head. Fig.2 gives the compressor characteristics when controlled only by the diffuser blades ($\alpha_1 = 0$; $\Delta\alpha_3 = -5^{\circ}30'$, $-4^{\circ}00'$, 0 , $+4^{\circ}00'$, $+5^{\circ}30'$). It will be seen that turning the tips through an angle

Card 2/8

20515
S/114/61/000/005/003/003
E194/E435

Extending the Working Range ...

of $\pm 5^{\circ}30'$ has little influence on the efficiency or head, and with the tips in the neutral position the range $\delta = 35.8\%$. When the tips are rotated the range $\delta = 93.6\%$, thus it has been increased almost threefold. Fig.3 gives compressor characteristics when controlled only by the stationary guide vanes at the compressor intake ($\Delta\alpha_3 = 0$; $\alpha_1 = -32^{\circ}, -24^{\circ}, -13^{\circ}, 0, +13^{\circ}, +24^{\circ}$). In this case extension of the working range of the compressor to 90.2% by setting up a positive swirl in the air flow is accompanied by an appreciable drop (7 to 8%) in the compression ratio because the amount of work delivered to the air by the runner is reduced. The development of negative swirl reduces the adiabatic efficiency (by 7 to 9%) because of increased losses in the runner. Fig.4 shows compressor characteristics with simultaneous control by both methods and shows that in this way the working range can be increased up to 110%, the drop in adiabatic efficiency and head is 6 to 7% (α_1 and $\Delta\alpha_3$ are respectively: -24° and $-5^{\circ}30'$; -24° and $-3^{\circ}30'$; 0 and 0 ; $+24^{\circ}$ and $+3^{\circ}30'$; $+24^{\circ}$ and $+5^{\circ}30'$). From the standpoint of achieving a wide working range, the combined method of control is effective. However, the construction of the control mechanisms is complicated and for most practical purposes the

Card 3/8

Extending the Working Range ... 20515
S/114/61/000/005/003/003
E194/E435

necessary range can be achieved by use of diffuser control alone.
There are 4 figures and 1 Soviet reference.

Card 4/8

IVNOV, S. L. (1960)

Approximation method for calculating the operational range
of a b-nitrophenol compound with regulated bond differences.
Margaritinostrenol 11 no. 5010-63 My 1(1). (MIR 1718)

ACCESSION NR: AP4038901

S/0114/64/000/005/0040/0043

AUTHOR: Ivanov, G. I. (Engineer)

TITLE: Approximate method of calculating the range of operation of a centrifugal compressor with an adjustable blade diffuser

SOURCE: Energomashinostroyeniye, no. 5, 1964, 40-43

TOPIC TAGS: compressor, centrifugal compressor, compressor operation, adjustable blade compressor, high pressure compressor

ABSTRACT: A new compressor was built and tested in which the inlet parts of the blades are made adjustable within $\pm 5^{\circ}33'$. Its characteristic is shifted, by the blade adjustment, into the small or large air-flow region almost without changing its shape. The article gives a method for calculating the shift of the characteristic of a centrifugal-compressor high-pressure stage. The use of adjustable diffuser blades makes possible not only reducing impact losses during off-

Card 1/2

ACCESSION NR: AP4038901

design conditions, but also varying the compressor capacity as well. Having calculated the maximum air flow through the diffuser, i.e., its capacity at the extreme positions of the diffuser blades, the shift of the compressor characteristic can be determined. The stage characteristics should lie within the air flow range ensured by the impeller. Inlet cross-sections of the rotating guide blade assembly and of the blade diffuser determine the critical speeds in the compressor. Formulas and curves for computing the maximum air flow and the inlet cross-sections are given. Orig. art. has: 6 figures and 6 formulas.

ASSOCIATION: Kolomenskiy teplovozostroitel'nyy zavod (Kolomna Diesel-Locomotive Plant)

SUBMITTED: 00

DATE ACQ: 05Jun64

ENCL: 00

SUB CODE: PR

NO REF SOV: 004

OTHER: 000

Card 2/2

IVANOV, G. I.:

IVANOV, G. I.: "On the problem of dynamic changes in the amounts of calcium, potassium, and magnesium in the blood plasma of patients before, during, and after operations". Simferopol', 1955. Crimean State Medical Inst imeni I. V. Stalin. (Dissertations for the Degree of Candidate of Medical Sciences.)

So. Knizhnaya letopis'. No. 49, 3 December 1955. Moscow.

USSR / Human and Animal Physiology. Respiration.

T

Abs Jour : Rof Zhur - Biol., No 15, 1958, No. 70235

Author : Botvinnikov, B. A.; Ginzburg, I. Sh.; Gramenitskiy, P. M.;
Ivanov, G. I.; Ivchenko, O. I.; Libin, Yu. M.; Rulinyy, N. M.;
Salmanov, L. P.; Folidman, L. A.; Froyman, G. N.

Inst Title : Academy of Sciences USSR
: The Influence of Elevated Intrapulmonary Pressure on
Respiration and Circulation

Orig Pub : In the collection, Funktsii organizma v usloviyakh izmen-
onnoy gazovoy sredy, Moscow-Leningrad, AN SSSR, 1955, No 1,
118-160

Abstract : The experimental arrangement permitted elevating the
pressure on inspiration and expiration either separately
or conjointly. In acute and chronic experiments on dogs,
recordings were made of the thoracic and abdominal
breathing, of the pressures in the intervalvular space

Card 1/3

73

USSR / Human and Animal Physiology. Respiration.

Abs Jour : Rof Zhur - Biol., No 15, 1958, No. 70235

T

(in the respiratory tract) and in the abdominal cavity, and also of ventilation and of arterial and venous blood pressures. Upon elevation of the pressure during expiration, there was a considerable distention of the thoracic cage and abdomen and a diminution in pulmonary ventilation due to sharp reduction in respiratory rate; there was an acceleration in the onset of, and a diminution in the depth of, inspiration, with prolongation of the expiratory phase; there was also a reduction in the average level of arterial pressure, an increase in its respiratory fluctuations, a slowing of the heart rate, and the appearance of arrhythmias. With elevated pressure in both expiration and inspiration, phenomena similar to those described above progressed to the point of apnea. The degree and character of the changes of respiration depend on the ratio of the increased pressures in expiration and inspiration.

Card 2/3

IVANOV, G.I., kand. med. nauk. (Simferopol', ul. Pushkinskaya, d.26, kv. 3)

Invagination of the small intestine caused by fibroma of the wall. Nov.
khir. arkh. 5:131-132 S-0 '58. (MIRA 12:1)

1. Kafedra gospital'noy khirurgii (zav. - prof. K.S. Keropian) ped-
iatricheskogo fakul'teta Krymskogo meditsinskogo instituta.
(INTESTINES--INTUSSUSCEPTION)

IVANOV, G.I.

Kirill Stepanovich Keropian. Ortop., travm. i protez. 20
no.5:72 My '59. (MIRA 12:9)

(BIOGRAPHIES

Keropian, Kirill S. (Rus))

IVANOV, G.I., kand.med.nauk

Case of extensive electrical injury of the skull. Ortop., travn.
i protez. 20 no.12:50-52 D '59. (MIRA 13:5)

1. Iz gospital'noy khirurgicheskoy kliniki (zav. kafedroy - prof.
K.S. Keropian) pediatriceskogo fakul'teta Krymskogo meditsinskogo
instituta (dir. - dotsent S.I. Georgiyevskiy).
(ELECTRICITY, injurious effects)
(SKULL wounds & injuries)

IVANOV, G.I., vrach

Breathing under water. Zdorov'e 6 no.8:13 Ag '60. (MIRA 13:8)
(RESPIRATION) (UNDERWATER PHYSIOLOGY)

KEROPIAN, K.S., prof. (Simferopol', Krymskoy obl., ul. Gor'kogo, d.31,
kv.7); IVANOV, G.I., kand.med.nauk

Echinococcosis of the spine. Ortop., travm.i protez. no.9:25-
30 '61. (MIRA 14:10)

1. Iz kliniki gospital'noy khirurgii (zav. - prof. K.S. Keropian)
pediatriceskogo fakul'teta Krymskogo meditsinskogo instituta
(dir. - dots. S.I. Georgiyevskiy).
(SPINE—HYDATIS)

IVANOV, Georgiy Ivanovich; TIRSKIY, I.T., red.

[People of the virgin snow] Liudi snezhnoi tseliny.
IAkutsk, IAkutskoe knizhnoe izd-vo, 1963. 40 p.
(MIRA 17:5)

Ivanov, Gavrilgen Ivanovich. Geografiia chastoi i vuzhneishikh stran, sred. oblast; uchebnik dlia 8-ye k vesa nepolni sredni i srednei shkoly. I.I. 5., zhach. ispr. i dop. Leningrad, Uchpedgiz, 1940. 419 p. DLC: 3126.15 1940

SO: LC, Soviet Geography, Part I, 1951, uncl.

2000, Sov. Geogr. 1951, Part I

Ivanov, Gennady Ivanovich. Geogr. fili: chudo i svet i vishneishikh stran bez tsz; uchebnik dlia 6-go klassa semiletnei i srednei shkoly. Izd. 8. Moskva, Uchpedgiz, 1946. 200 p.

LC: 0136.19 1946

SO: LC, Soviet Geography, Part I, 1951, uncl.

Dobrov, A. S.

Dobrov, Aleksandr Semyonovich, 1932-

Standard textbook on geography for the 6th grade ("Geography of the Mordvin People," G. I. Ivanov, A. S. Dobrov. Reviewed by Yu. D. Dmitrovskiy). Izv. Vses. sov. obshch., 34, No. 3, 1952.

9. Monthly List of Russian Accessions, Library of Congress, October 1953, Unclassified.

2

IVANOV, G.I.; DOBROV, A.S.;

[Geography of parts of the world; textbook for class 6 of seven-year and secondary schools] Geografiia chastei sveta; uchebnik dlia 6 klassa semiletnei i srednei shkoly. Erevan, Aipetrat. 1953. 277 p.
[In Armenian] (MLRA 8:9)
(Geography)

IVANOV, G. I.

6739. Ivanov, G. I. Kolkhoz imeni shvernika, verkhne-Mullinskogo Rayona Molotovskoy Oblasti. (Lit. zapis' Z. P. Polovnikovoy i ye. S. Mamushinoy). Molotov, Kn. izd., 1954. 36 s. 20 sm. (Uchastnik Vsesoyuz. S.-KH. Bystavki). 5.000 Ekz. 45k.--(55-2953) P 338. Ik (47.813)

SO: Knizhnaya Letopis' No. 6, 1955

Ivanov, G.I.

IVANOV, G.I.; DOBROV, A.S.

[Maps to G.I.Ivanov's and A.S.Dobrov's textbook "Geography of regions of the world continents," for class 6] Karty k uchebniku G.I.Ivanova i A.S.Dobrova "Geografija chastei sveta" VI klass. [Moskva] Uchpedgiz, 1954. (MLRA 8:4)
(Physical geography--Study and teaching) (Maps)

IVANOV, G.I.; DOBROV, A.S.; SMIRNOVA, N.P., redaktor; CHUVALDIN, A.M.,
redaktor kart; MAKHOVA, N.N., tekhnicheskij redaktor

[Geography of parts of the world and of the most important foreign
countries. Textbook for class 6 of the seven-year and secondary
schools] Geografiia chastei sveta i vazhneishikh narodov sveta i stran.
Uchebnik dlia 6 klassa demiletnei i srednei shkoly. Izd. 16-e.
Moskva, Gos. uchebno-pedagog. izd-vo Ministerstva prosveshcheniya
RSFSR, 1954. 190 p.
(Geography) (MIRA 7:8)

IVANOV, Grigoriy Ivanovich; NEUNYLOV, B.A., doktor sel'khoz.nauk,
otv.red.; KOKHANOVA, E.I., red.

[Soils of the Maritime Territory] Pochvy Primorskogo kraia.
Vladivostok, Dal'nevostochnoe knizhnoe izd-vo, 1964. 105 p.
(MIRA 17:6)

IVANOV, G.I.

Ancient weathering surface on crystalline rocks in the Kotuykan
Basin. Geol. i geofiz. no.2:140-144 '64.

(MIRA 18:4)

l. Sibirskiy nauchno-issledovatel'skiy institut geologii,
geofiziki i mineral'nogo syr'ya, Novosibirsk.

IVANOV, G. K., comp.

Katalog bytovykh elektroizdelii. A catalog of household electrical appliances.
Moskva, 1947. 155 p. (49-18351)

TK455.R8 1947

I. Electric apparatus and appliances - Catalogs. I. Ivanov, G.K. comp. II. Kholodenko, L.E., comp.

IVANOV, G., inzhener.

Electric shaver. Tekh.mol. 23 no.1:38 Ja'55. (MLRA 8:3)
(Electric apparatus and appliances)

IVANOV, G., inzhener.

Electric fret-saw. Tekh.mel.24 no.8:39 Ag '56. (MIRA 9:9)
(Saws)

IVANOV, G. K. inzhener.

For the fulfillment of production of domestic electric
appliances. Vest.elektroprom. 27 no.3:3-10 Mr '56. (MLRA 9:12)

1. Ministerstvo elektropromyshlennosti.
(Electric apparatus and appliances, Domestic)

Ivanov G.K.

IVANOV, G.K., inzh.

New domestic electrical appliances. Vest. elektroprom. 27 no.8:
~76-78 Ag '56. (MERA 10:9)

1. Ministerstvo elektrotekhnicheskoy promyshlennosti.
(Electric apparatus and appliances, Domestic)

1957, 600914 Kudrinskaya, 20
IVANOV, Georgiy Konstantinovich; DOBRYNIN, Ivan Filimonovich; CHUKAYEV,
D.S., nauchnyy red.; KVELCH, N.Ye., red.; TSIRUL'NITSKIY, N.P.,
tekhn.red.

[Electric appliances for household use] Elektroizdeliia v
domashnem bytu. Moskva, Vses.koop.izd-vo, 1957. 107 p.
(MIRA 11:1)
(Electric apparatus and appliances)

AUTHOR: Ivanov, G.K., Engineer (Ministry of the Electro-technical
Industry.) ⁴¹⁹

TITLE: New domestic electrotechnical products. (Novye bytovye
elekrotekhnicheskiye izdeliya.)

PERIODICAL: "Vestnik Elektropromyshlennosti" (Journal of the Electrical
Industry), 1957, Vol. 28, No. 5, pp. 29 - 31, (U.S.S.R.)

ABSTRACT: The article describes briefly new types of domestic electric
equipment that have recently been produced. They are a tape-
recorder, a piezo-electric gramophone pick-up, a portable waffle-
iron and a drive for sewing machines consisting of a motor
and foot switch. Brief technical data are given about the tape-
recorder, the pick-up and the sewing machine drive.

3 figures, no literature references.

1. Ministerstvo elektrotekhnicheskoy promyshlennosti

AUTHOR: Ivanov, G., Engineer

SOV/29-58-8-14/23

TITLE: Electric Helpers at Home (Elektricheskiye pomoshchniki v dome)

PERIODICAL: Tekhnika molodezhi, 1958, Nr 8, pp. 22-23 (USSR)

ABSTRACT: In this article the author describes several new improved machines and devices which make work at home easier. 1.) The kitchen range without soot: An electric range is not only more hygienic than a gas range but with it meals can be prepared more quickly. It is of better advantage to use gas as fuel for electric plants and to make it possible for the consumer to use the electric current produced. This also does away with the necessity of laying gas pipes in houses and streets, which involves a considerable amount of expense. Also the danger of being poisoned by escaping unburned gas is banned by using electricity. At Moscow dwelling houses are at present being planned in the kitchens and bathrooms of which only electrical equipments will be used. 2.) Laundry is dried by a machine. Some of the washing machines are provided with devices for the wringing out and drying of the laundry. Besides, centrifugal drying machines are being manufactured. 3.) Electric razors: Soviet constructors are about to develop a new type of electric

Card 1/3

Electric Helpers at Home

SOV/29-58-8-14/23

razor with an alkali accumulator, which drives a tiny electric motor with blades. This accumulator, which has the size of a 20 kopeck piece, can be charged by connecting it to a wall plug in the evening, so that the razor can be used at any desired place on the following day. Also cordless flat irons are produced, which makes work much easier. 4.) The vacuum cleaner "Malyutka" is a new kind of brush, which is very economic and is used for dusting suits, carpets, books, and wireless sets. 5.) Automatic switches. Architects ought to see that the staircases of all houses are fitted out with automatic switches. This would mean a considerable saving of current. 6.) Electric watchers. These are the thermostats with which various electric devices are provided and are very useful in households. 7.) The hygienic refuse remover. This is a special device by means of which refuse is crushed while passing through the drain pipe after which it is washed away by water. 8.) Glass radiates heat. Glass is covered with a thin layer of a conductive metallic substance through which the current passes. Bathroom mirrors heated in this manner do not get dim or clouded. 9.) Hot water from the main.

Card 2/3

Electric Helpers at Home

SOV/29-58-8-14/23

A flow-type electric heater is fastened to the water tap and plugged into the wall. As soon as the tap is turned on warm or hot water flows out. Several of these household articles are illustrated on the fourth page. There are 5 figures.

1. Electrical equipment--Performance 2. Human engineering

Card 3/3

AUTHOR: Ivanov, G.K., Engineer

SOV/110-59-3-24/25

TITLE: A Scientific-Technical Conference on Domestic Washing
Machines (Nauchno-tehnicheskaya konferentsiya po
bytovym stiral'nym mashinam)

PERIODICAL: Vestnik Elektropromyshlennosti, 1959, № 3, pp 75-77 (USSR)

ABSTRACT: A scientific technical conference on the design and
production of domestic electric washing machines was held
in Riga. It was called by the Electrical and Instrument
Industry Department of State Plan USSR, the State
Scientific-Technical Committee of the Council of Ministers
of the Latvian SSR, the Electrical Engineering and
Apparatus Construction Section of the Technical-Economic
Council of the Council of National Economy of the
Latvian SSR and the Riga Branch of the All-Union Chamber
of Commerce. It was the first conference on this question.
It was attended by more than 130 representatives of various
organisations from Moscow, Riga, Leningrad, Ulan-Ude,
Gor'kiy, Sverdlovsk, Chelyabinsk and other towns.
Reports were read on the prospective development of the
production of washing machines and the main lines of

Card 1/2

SOV/110-59-3-24/25

A Scientific-Technical Conference on Domestic Washing Machines

development in design and manufacture. The reports mentioned the rapid growth of the production of these products. The chief designer of the RBEZ works, A.I.Krichko, gave a report on the theory of machine laundering which analysed the construction of various Soviet and foreign washing machines. The chief specialist of the State Scientific-Technical Committee of the Council of Ministers of the Latvian SSR, A.Ya.Fish made a comparative analysis of the cost of washing machines made at a number of works and considered standards of material consumption. Engineer N.A.Mushketov and Engineer V.T.Grebenichenko discussed various methods of driving washing machines, constructions of motors and so on. About 30 persons participated in the discussion and the contributions are very briefly reviewed.

Card 2/2

24.9300

25012
S/142/60/005/006/002/016
E033/E135

AUTHORS: Banch-Osmolovskiy, A.G., and Ivanov, G.K.

TITLE: Circuits for obtaining high-intensity, approximately rectangular, pulsed magnetic fields

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy,
Radiotekhnika. 1960, Vol.3, No.6, pp. 558-562

TEXT: This article describes a method and the apparatus for producing pulsed magnetic fields having intensities up to 10^5 esu and durations up to 200 microseconds. The pulse shape is approximately rectangular with the first portion (H constant to an accuracy of $\pm 1.5\%$) for 35% of the total time of the pulse. A pulsed magnetic field may be produced by connecting the field-producing coil L_0 in the last section of an artificial line (immediately before the matching load resistance) and discharging the line. For coil currents of the order of 10^4 amps, the values of the wave impedance of the line ζ and of the initial voltage to which the line is charged are of the order of 0.2 Ohms and 2000 V respectively. For this method, the minimum number of line sections n is 8 - 10. A simpler and more efficient equivalent circuit is

Card 1/3

25812
Circuits for obtaining high-intensity S/142/60/003/006/002/016
E033/E139

shown in Fig.2. The complete circuit of the equipment, including the charging and switching circuit, which uses a single mercury excitron, is described. The experimental results are given. With a pulse repetition frequency of 12.5 - 50 n/s magnetic fields up to 20 000 G were obtained.

Acknowledgments are expressed to Professor K.I. Krylov who advised in this work and to V.A. Skorobogatov who assisted with the experiments.

There are 4 figures and 6 references: 3 Soviet and 3 non-Soviet. The two English language references read as follows:

Ref.1: H. Furth, M. Levine, R. Wontek, Production and use of high transient magnetic fields. II, Rev. Sci. Instr., 1957, 28, 949.

Ref.4: S. Foner and H. Kolm, Coil for pulsed megagauss fields Rev. Sci. Instr., 1956, V.27, No.5 517.

ASSOCIATION: Kafedra spetsfiziki Leningradskogo elektrotekhnicheskogo instituta im. V.I. Ul'yanova (Lenina)
(Department of Special Physics, Leningrad Institute of Electrical Engineering imeni V.I. Ul'yanov (Lenin))

Card 2/3

IVANOV, G.K., inzh.

Some problems of the electrical industry pertaining to the
electrification of homes. Vest.elektroprom. 31 no.1:1-4 Ja
'60. (MIRA 13:5)
(Electrification)

IVANOV, G.K.

Neutron scattering by molecules with large energy transfer.
Zhur. ekspl. i teor. fiz. 44 no.2:573-586 F '63.
(MIRA 16:7)

IVANOV, G.K.; SAYASOV, Yu.S.

Resonance interaction between neutrons and molecules. Atom.
energy, 19 no.2(183-184) Ag '65. (MERA 18:9)

20459

26.2241
21.6000 (1043,1565)

S/056/61/040/002/022/047
B102/B201

AUTHORS: Sayasov, Yu. S., Ivanov, G. K.

TITLE: Theory of the dissociation of molecules by neutrons.
I. Diatomic molecules

PERIODICAL: Zhurnal eksperimental'noy i teoreticheskoy fiziki,
v. 40, no. 2, 1961, 513-523

TEXT: In a collision between neutron and bound molecule, sufficient energy can be transferred to break the bond, i.e., to lead to a dissociation. This process, which has not been studied so far, is of great interest from the viewpoint of radiation chemistry, biology, and the slowing down of neutrons. A knowledge of the dissociation probability of molecules by neutrons is also important for the method of molecular neutronoscopy proposed by V. I. Gol'danskiy (Ref. 1: ZhETF, 31, 717, 1956). The authors developed a theory of the dissociation of diatomic molecules by neutrons based on the method of the Fermi pseudopotential. The neutron is presupposed to have an energy E of the

Card 1/11

20459

S/056/61/040/002/022/047
B102/B201

Theory of the dissociation of ...

order of the dissociation energy of the molecule (viz., $E \sim 10$ ev); a wavelength of $\lambda_n \sim 10^{-9}$ cm corresponds to these energies; inequalities $\lambda_n \gg A$ and $a \gg A$ must hold between λ_n , the radius of nuclear forces $A \sim 10^{-13}$ cm and the vibration amplitude of the nuclei in the molecule $a \sim 10^{-9}$ cm, for the method of the Fermi pseudopotential to be applicable. The molecule is further assumed to remain in the

ground state during decomposition. $V = 2\pi\ell^2 \sum_i \frac{1}{\mu_i} A_i \delta(\vec{r}_n - \vec{r}_i)$ is applied as interaction ansatz, where $\mu_i = m_i m / (m_i + m)$; here m denotes the neutron mass and m_i that of the i -th nucleus in the molecule, $A_i = a_i + b_i (\vec{s})$, the scattering amplitude of the neutron (spin \vec{s}) at the free nucleus (spin \vec{i}), \vec{i} is the eigenvalue of the operator $\vec{i} \cdot \vec{s}$;

Card 2/11

20459

Theory of the dissociation of ...

S/056/61/040/002/022/047
B102/B201

the relation $d\sigma = \frac{k'}{k} \overline{|W|^2} d\chi_1 \dots d\chi_n d\sigma$ is set for the dissociation cross section in first Born's approximation with respect to V - according to general perturbation-theoretical formulas for the transition probability from one state of the discrete spectrum to the continuous one. In this relation, $d\sigma$ denotes an element of the solid angle, into which the neutron is scattered, k' and k are the wave numbers of the neutron prior to and after collision, $\vec{\chi}_1 \dots \vec{\chi}_n$ are the wave vectors of the dissociation products. $W = \frac{\mu}{2\pi\hbar} \int e^{i(\vec{k}-\vec{k}')\vec{r}} \psi_0 \nabla \psi_n d\vec{r}_1 d\vec{r}_n$, where ψ_0 denotes the wave function of the initial state of the molecule, ψ_n is the wave function of the end state of the molecule; $d\vec{r}$ denotes integration over all molecular coordinates. Since it is assumed (in adiabatic approximation) for the electron state of the molecule to remain unchanged, the electron wave functions are excluded, and ψ_0 and ψ_n are regarded as wave functions of the relative motion of the nuclei. If

Card 3/11

20459

S/056/61/040/002/022/047
B102/B201

Theory of the dissociation of ...

the electron state in the molecule is equal to \sum , the wave function of the relative motion of the nuclei will coincide in adiabatic approximation with that of the relative motion of two particles interacting in a central-symmetrical manner. Formula

$$\Psi_x = \frac{1}{4\pi\mu r} \sum_{l=0}^{\infty} i^l (2l+1) e^{-i\theta_l} \chi_{xL}(r) P_l \left(\frac{\pi r}{\mu r} \right), \quad (3)$$

holds, where χ_{xL} denotes the wave function of equation

$$\frac{d^2 \chi_{xL}}{dr^2} + \left(\frac{1}{r^2} - \frac{2\mu_m U}{\hbar^2} - \frac{l(l+1)}{r^2} \right) \chi_{xL} = 0, \quad (4),$$

U is the molecule potential, μ_m is the reduced mass of the molecule.

The initial state of the molecule (vibration number n , rotation number K) is given by $\psi_0 = \frac{1}{r} \left(\frac{2}{\pi} \right)^{1/4} a^{-1/2} e^{-\frac{r^2}{a^2}} H_n(\frac{r}{a}) Y_{KM_K}(\theta, \varphi)$, where

Card 4/11

20459

Theory of the dissociation of ...

S/056/61/040/002/022/047
B102/B201

$\xi = (r-r_0)/a$, r_0 is the minimum point of U , $a = \sqrt{2\hbar/\mu_m\omega}$ the vibration amplitude of the nuclei in the molecule, $H_n(\xi)$ the Hermitian function, M_K the projection of the torque of the molecule onto the molecule axis, θ, ϕ denote the orientation of the molecule in the c.m.s. of neutron and molecule. Thus, from

$$d\sigma = \frac{k'}{k} \frac{1}{2K+1} \sum_{M_K=-K}^K |W_{MK}|^2 d\theta d\phi, \quad (6)$$

$$W_{MK} = \frac{1}{2\pi\hbar^3} \int e^{i(\mathbf{k}-\mathbf{k}')\cdot \mathbf{r}_n} \psi_0 V \psi_K^* d\mathbf{r}_n d\mathbf{r},$$
$$V = 2\pi\hbar^2 \left(\frac{A_1}{\mu_1} \delta(\mathbf{r}_n - \mathbf{r}_1) + \frac{A_2}{\mu_2} \delta(\mathbf{r}_n - \mathbf{r}_2) \right). \quad (7)$$

one obtains for the dissociation cross section

Card 5/11

30

20459

S/056/61/040/002/022/047
B102/B201

Theory of the dissociation of ...

$$d\sigma_{nK} = \sqrt{\frac{\pi}{2}} \frac{k'}{k} \frac{1}{a} \left[\sum_{l=0}^{\infty} (2l+1) \sum_{L=|l-K|}^{l+K} (C_{l0K0}^{L0})^2 F_{lL} \right] dx do, \quad (9)$$

$$F_{lL} = \overline{A_1^2} \frac{1}{g_1^2} \left(\frac{\mu_1}{\mu_1} \right)^2 J_{k_1}^2 + \overline{A_2^2} \frac{1}{g_2^2} \left(\frac{\mu_2}{\mu_2} \right)^2 J_{k_2}^2 + (-1)^L 2 \overline{A_1 A_2} \frac{\mu^2}{\mu_1 \mu_2} J_{k_1} J_{k_2} \frac{1}{g_1 g_2},$$

$$J_{k_1} = \int_0^{\infty} \frac{1}{r} e^{-\xi r} H_n(\xi) \chi_{n1}(r) \psi_{L+\gamma_1}(gr) dr,$$

$$\psi_{L+\gamma_1}(x) = \sqrt{x} J_{L+\gamma_1}(x), \quad g = g_{1,2} = \frac{m_{3,1}}{m_1 + m_2} |k - k'|, \quad (10),$$

where C_{l0K0}^{L0} denotes the Clebsch-Gordan coefficients. If the molecule consists of different atoms, $\overline{A_{1,2}^2} = a_{1,2}^2 + \frac{1}{4} i_{1,2} (i_{1,2} + 1) b_{1,2}^2$; $A_1 A_2 = a_1 a_2$, where $i_{1,2}$ denotes the nuclear spins. If it consists of

Card 6/11

S/056/61/040/002/022/047
B102/B201

Theory of the dissociation of ...

equal atoms, $\overline{A}_{1,2}^2 = a^2 + \frac{1}{4} i(i+1)b^2$, $\overline{A_1 A_2} = a^2 + \frac{3}{8} b^2 [2i(i+1) - I(I+1)]$, where I denotes the total spin of the system of the two nuclei. In the case of quasiclassical conditions (the wavelengths $(\lambda_n \sim 10^{-9} \text{ cm})$ corresponding to the neutron energies are small compared with molecular sizes) one obtains

$$d\sigma = \frac{1}{2\sqrt{2\pi}} \frac{k'}{k} a \frac{1}{x'} \frac{\mu^2}{\mu_1^2} \text{Ei}(-\rho^2) x dx d\omega \quad (18), \text{ and therefrom, if } \rho^2 > 1: \quad (19),$$

and if $\rho^2 < 1$: (20),

$$d\sigma = \frac{1}{2\sqrt{2\pi}} \frac{k'}{k} a \left(\frac{\mu}{\mu_1} \right)^2 \overline{A_1^2} \frac{1}{x'} \frac{e^{-\rho^2}}{\rho^2} x dx d\omega, \quad (19)$$

$$d\sigma = \frac{1}{2\sqrt{2\pi}} \frac{k'}{k} a \left(\frac{\mu}{\mu_1} \right)^2 \overline{A_1^2} \frac{1}{x'} \ln(\gamma/\rho^2) x dx d\omega, \quad (20)$$

Card 7/11

S/056/61/040/002/022/047
B102/B201

Theory of the dissociation of ...

where γ denotes Euler's constant. By integrating (18) with respect to θ and x , one obtains the total cross section $\sigma = \pi A_1^2 \frac{\mu \mu_m}{2} \frac{E-D}{E}$, and in case of an n-p collision in a heavy molecule ($\mu = \mu_m = m$, $\mu_1 = m/2$, $\mu \mu_m^2 = 4$), $\sigma = \sigma_0(E-D)/E$. If $ak' \gg 1$, ϵ can be determined from

$$x' \approx \sqrt{\frac{\mu_m}{\mu} (k^2 - k'^2)} = g_1 = \frac{m_2}{m_1 + m_2} \sqrt{k^2 + k'^2 - 2kk' \cos \theta},$$

$$\cos \theta_0 = [(v + l) p'^2 - (v - l) p^2]/2pp', \quad (24)$$

$$p = kh, \quad p' = h'k, \quad v = m_1(m_1 + m_2 + m)/mm_1$$

If θ is almost equal to θ_0 and $\theta_0 \ll 1$, $\theta \ll \theta_0$, one obtains from (18):

Card 8/11

S/056/61/040/002/022/047
B102/B201

Theory of the dissociation of ...

$d\sigma = \frac{\sigma_0}{\sqrt{2\pi}} \left(\frac{p'}{p}\right)^2 \text{Ei}\left(\frac{-\sqrt{2}}{\sqrt{2}}\right) \frac{1}{p_0} dp' d\psi$. The threshold-near dissociation cross section is calculated next. If the neutron energy is near the dissociation energy D , and the discrete level ϵ of the molecule is deep enough for $E - D \ll \epsilon$, one obtains

$$d\sigma = \frac{1}{\sqrt{2\pi}} \sigma_0 \frac{a}{r_0^2 \alpha} \frac{\cos^2 \tau}{\cos^2 q} \frac{k' x^2}{k^2} dx d\alpha,$$

$$\tau = \int_0^r \tilde{x}_0 dr - gr_0.$$

(28)

Card 9/11

Theory of the dissociation of ...

S/056/61/040/002/022/047
B102/B201

$$\text{Thus, } \sigma = \frac{1}{2} \left(\frac{\pi}{2}\right)^{3/2} \sigma_0 \frac{a}{ar_0^2} \left(\frac{E-D}{D}\right)^2 \frac{\cos^2 \tau}{\cos q} , \quad q = \frac{1}{k} \int_{r_1}^{\infty} \sqrt{-2\mu_m U} dr = \pi \left(n + \frac{1}{2}\right) .$$

The total cross section may be also obtained from

$$d\sigma = \frac{1}{\sqrt{2\pi}} \sigma_0 \frac{a}{r_0^2 \alpha} \frac{\cos^2 \tau}{\cos^2 q + \pi^2 k_m^2 / a^2} \frac{k_m^2}{k^4} dk d\alpha . \quad (32)$$

$$\text{In this case, } \sigma = \frac{1}{\sqrt{2\pi}} \sigma_0 \frac{a\alpha}{r_0^2 k_m^2} \frac{E-D}{D} \cos^2 \tau , \quad k_m^2 = \frac{2\mu_m D}{\lambda^2} .$$

V. I. Gol'danskiy is thanked for having suggested the subject, A. I. Baz', A. S. Kompaneyets, and F. L. Shapiro for their discussions. Some mathematical problems are discussed in an appendix. There are 5 references: 3 Soviet-bloc and 2 non-Soviet-bloc.

Card 10/11

Theory of the dissociation of ...

S/056/61/040/002/022/047
B102/B201

ASSOCIATION: Institut khimicheskoy fiziki Akademii nauk SSSR (Institute
of Chemical Physics, Academy of Sciences, USSR)

SUBMITTED: June 26, 1960

Card 11/11

32005
 S/089/62/012/001/008/019
 B102/B138

26.2242
 AUTHOR: Ivanov, G. K.

TITLE: Neutron scattering from molecules

PERIODICAL: Atomnaya energiya, v. 12, no. 1, 1962, 49 - 51

TEXT: When studying the problem of neutron thermalization the scattering function must be known as precisely as possible. The much-used "single-atom" approximation (e. g. Phys. Rev., 106, 290) is inexact, due in particular to incorrect averaging of the scattering effect over molecular orientations. Correct averaging over the rotational orientations was carried out. within the framework of classical mechanics. The differential cross section and its moments were obtained as computable integrals:

$$\frac{d^2\sigma}{dx d\Omega} = \frac{\sigma_m}{4\pi} \frac{k}{k_B} \frac{M}{\sqrt{2\pi k_B T}} \int_0^\infty \exp \left\{ -\frac{M}{2k_B T x^2} \left[e - \frac{x^2}{2M} \right] \right\} \frac{dx}{x \sqrt{x^2 - x^2}}, \quad (3)$$

Card 1/3

32005
S/089/62/012/001/008/019
B102/B158

Neutron scattering from molecules

$$\frac{d\sigma(p_0 \rightarrow p)}{dp} = \frac{\sigma_\infty}{\sqrt{4\pi p_0^3}} \left(\frac{M}{m} \right)^{1/2} \int_0^{p_0+p} \exp \left\{ -\frac{1}{4} \frac{m}{M} \frac{1}{x^2} \left[\frac{M}{m} (p_0^2 - p^2) - x^2 \right] \right\} dx \quad (4)$$

$$\int_0^{p_0+p} \exp \left\{ -\frac{1}{4} \frac{m}{M} \frac{1}{x^2} \left[\frac{M}{m} (p_0^2 - p^2) - x^2 \right] \right\} dx = \begin{cases} \ln \frac{p_0 + p + \sqrt{(p_0 + p)^2 - x^2}}{|p_0 - p| + \sqrt{(p_0 - p)^2 - x^2}} & x < |p_0 - p| \\ \ln \frac{p_0 + p + \sqrt{(p_0 + p)^2 - x^2}}{x} & x > |p_0 - p|. \end{cases}$$

\vec{k}_0 , $\vec{k} = \vec{k}_0 - \vec{\chi}$, neutron momentum before and after scattering;
 $\epsilon = k_0^2/2m - k^2/2m$; m - neutron mass; k_b - Boltzmann constant; $\sigma_\infty = 4\pi a^2$,
 a - scattering length for a fixed nucleus, p_0 and p are the neutron
momenta in terms of $\sqrt{2mk_b T}$; $M = 1b^{-2}$, b - radius vector of the target
nucleus. Eq. (4) is compared with Cohen's formula (First Geneva Conference
on Peaceful Uses of Atomic Energy, 1955) for neutron scattering from the
proton of the HCl molecule ($M = m$). The results diverge, especially in
the elastic part. Divergence increases when higher neutron energies are
considered. The classical model of the rigid rotator seems to be

Card 2/3

S/056/63/044/002/029/065
B102/B186

AUTHOR: Ivanov, G. X.

TITLE: Neutron scattering from molecules with large energy transfer

PERIODICAL: Zhurnal eksperimental'noy i teoreticheskoy fiziki, v. 44,
no. 2, 1963, 573-586

TEXT: Neutron scattering from molecules is investigated under the assumption that the energy transferred per collision is much greater than the mean difference between the vibrational energy levels of the molecules. The author uses the formalism developed by G. Placzek (Phys. Rev. 66, 377, 1952), G. C. Wick (Phys. Rev. 94, 1228, 1954), and Glauber and Zemach (Phys. Rev. 101, 118, 129, 1956). Since the Placzek-Wick method is suitable only for obtaining the fundamental features of the collision, it is generalized to yield additional characteristics, e.g. the cross-section derivatives $d^2\sigma_v/d\omega d\Omega = \sigma_v(\vec{u}, \vec{z})$; \vec{z} is the energy transferred, and ω the solid angle. This differential cross-section is obtained as a series expansion whose terms are averaged over the angular orientations of the

Card 1/4

S/056/63/044/002/029/065
B102/B186

Neutron scattering from ...

$$\begin{aligned}
 \text{molecule: } \sigma_v(x, \varepsilon) = & a_v^2 \frac{k}{k_0} \left\langle \delta \left(\frac{x^2}{2M_v} - \varepsilon + L_v \right) + \frac{1}{2} \delta^{(2)} \left(\frac{x^2}{2M_v} - \varepsilon + L_v \right) [H, L_v] + \right. \\
 & + \frac{1}{6} \delta^{(3)} \left(\frac{x^2}{2M_v} - \varepsilon + L_v \right) \{ [H, L_v], L_v \} + [H, [H, L_v]] + \\
 & \left. + \frac{1}{8} \delta^{(4)} \left(\frac{x^2}{2M_v} - \varepsilon + L_v \right) [H, L_v] [H, L_v] + \dots + \right\rangle. \quad (9)
 \end{aligned}$$

$$H = \sum_{\mu} p_{\mu}^2 / 2M_{\mu} + V; \quad L_v = x p / M_v. \quad (3), (4);$$

\vec{k}_0 and $\vec{k}_0 - \vec{x}$ are the neutron momenta before and after scattering, a_v the scattering length, $\varepsilon = k_0^2 / 2m - k^2 / 2m$, m the neutron mass, H the Hamiltonian of the scattering system. The first term of (9) corresponds to the momentum approximation (cf. ZhETF, 31, 717, 1956); the further terms are corrections to it. The combination of rotational and vibrational effects arising in scattering from arbitrary molecules can also be treated by this method. The results

Card 2/4

Neutron scattering from ...

S/056/63/044/002/029/065
B102/B186

$$\sigma_v(x, \varepsilon) = a_v^2 \frac{k}{k_0} \left\langle \frac{1}{\sqrt{\pi x}} \left\{ 1 + \frac{1}{3\varepsilon^2} \sum (xc_i^l)^2 \omega_i^2 \frac{E}{a} \left[2 \frac{E^3}{a^3} - 3 \right] \right\} e^{-E/a} \right\rangle_{\Omega_{\text{MOA}}}, \quad (27)$$

$$a^2 = \sum (xc_i^l)^2 \omega_i \operatorname{clth} \frac{\omega_i}{2T} + 2T(xR_v x + x^3/M); \quad E = \varepsilon - x^3/2M, \quad (28),$$

$$\frac{d\sigma}{dk} = \sigma_v \frac{(M_v + m)^2}{4M_v m} \frac{k}{k_0^3} \left\langle \exp \left(\frac{k_0^2}{a_0^2} - \frac{k^2}{a_0^2} \right) \operatorname{erf} \left(\gamma \frac{k_0}{a_0} - \eta \frac{k}{a_0} \right) + \operatorname{erf} \left(\gamma \frac{k}{a_0} - \eta \frac{k_0}{a_0} \right) - \left[\exp \left(\frac{k_0^2}{a_0^2} - \frac{k^2}{a_0^2} \right) \operatorname{erf} \left(\gamma \frac{k_0}{a_0} + \eta \frac{k}{a_0} \right) - \operatorname{erf} \left(\gamma \frac{k}{a_0} + \eta \frac{k_0}{a_0} \right) \right] \right\rangle_{\Omega_{\text{MOA}}}, \quad (29)$$

$$\sigma_v = 4\pi a^2 M_v^2 (m + M_v)^2 - \quad a_0^3 = M_v^2 a^2 / x^2,$$

$$\eta = \frac{1}{2} \left(\sqrt{\frac{M_v}{m}} - \sqrt{\frac{m}{M_v}} \right), \quad \gamma = \frac{1}{2} \left(\sqrt{\frac{M_v}{m}} + \sqrt{\frac{m}{M_v}} \right), \quad \operatorname{erf}(x) = \frac{2}{\sqrt{\pi}} \int_0^x e^{-t^2} dt.$$

and for the total cross-section

$$\frac{d\sigma}{dk} = \sigma_{\text{II}} \frac{2k}{k_0^2} J(k), \quad J(k) = \left\langle \operatorname{erf} \frac{k}{a_0} \right\rangle_{\Omega_{\text{MOA}}}, \quad (30)$$

Card 3/4

Neutron scattering from ...

S/056/63/044/002/029/065
B102/B186

are obtained in momentum approximation. In these formulas one has to average the molecular orientations; when this averaging can be made exactly (which is possible for a certain class of molecules), the results can be considered exact. The calculations are carried out for diatomic and complex molecules and, numerically, for H_2O . There are 2 tables.

SUBMITTED: July 16, 1962

Card 4/4

ABSTRACT: A general method is developed for investigating the probable cause of a fire in a building or structure. The